

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6109	((713/152) or (713/155) or (713/158) or (713/165) or (713/175-176) or (380/1) or (380/37) or (380/54) or (380/229) or (380/232) or (382/100) or (382/132) or (705/57-59) or (726/2) or (726/16) or (726/30)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/08/22 11:54
L2	2753	l1 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:45
L3	2201	l2 and (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:46
L4	85011	(generat\$4 predefin\$9 predetermin\$9 pre-defin\$9 pre-determin\$9 creat\$4) near4 (message\$1 instruct\$4)	USPAT; IBM_TDB	OR	OFF	2007/08/22 11:59
L5	831	l3 and l4	USPAT; IBM_TDB	OR	OFF	2007/08/22 11:59
L6	20	l5 and (call near3 handl\$3)	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:46
L7	18	l6 and request\$4	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:48
L8	9	l7 and kernel\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:02
L9	9	l8 and socket\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:46
L10	30	(socket\$1 near3 handl\$4) and (request\$4 near3 handl\$4) and (call near3 handl\$3)	USPAT; IBM_TDB	OR	OFF	2007/08/22 13:09
L11	26	l10 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:21
L12	10	l11 and l4	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:46
L13	79070	(input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near4 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2007/08/22 13:50
L14	17971	l13 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2007/08/22 13:10
L15	5749	l14 and l4	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:46
L16	843	l15 and socket\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:57

EAST Search History

L17	89	l16 and (call near3 handl\$3)	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:57
L18	3863	(message\$1 instruct\$4) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2007/08/22 13:11
L19	89	l17 and request\$4	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:49
L20	1	l18 and l19	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:49
L21	2896	(message\$1) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:51
L22	1213	l21 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:52
L23	907	l22 and ((input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near8 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5))	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:52
L24	43	l23 and (call near9 handl\$3)	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:57
L25	9	l24 and socket\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:57
L26	9	l25 and message\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 12:57
L27	410	(socket\$1) and (request\$4 near5 handl\$4) and (call near6 handl\$3)	USPAT; IBM_TDB	OR	OFF	2007/08/22 13:09
L28	372	l27 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2007/08/22 13:11
L29	4271	(message\$1 packet\$6 datagram\$3) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2007/08/22 13:11
L30	2	l28 and l29	USPAT; IBM_TDB	OR	OFF	2007/08/22 13:11

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L31	85417	(input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near5 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:02
L32	3985	(message\$1 packet\$6 datagram\$3 instruct\$4) near6 (predefin\$6 pre-defin\$6 associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near6 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:00
L33	2671	I31 and I32	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:02
L34	62	I33 and (call near9 handl\$3)	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:02
L35	3	I34 and socket\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:03
L36	204	I33 and socket\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:03
L37	116	I36 and call\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:03
L38	121	I36 and call\$3 and handl\$3	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:03
L39	8	I38 and kernel\$1	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:03
L40	7	I39 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2007/08/22 16:04